


## Autonomie bei gegebenem Restinhalt

### Anzeige




FREELOX 44L	Durchfluss	Autonomie										
	0.25	50d	46d 5h	39d 16h	32d 18h	26d 13h	22d 2h	17d 14h	12d 10h	7d 11h	3d 8h	1d 6h
	0.5	38d	35d 3h	30d 3h	24d 22h	20d 4h	16d 19h	13d 9h	9d 10h	5d 16h	2d 13h	23h
	0.75	28d	25d 21h	22d 5h	18d 8h	14d 21h	12d 9h	9d 20h	6d 23h	4d 4h	1d 21h	17h
	1	20d	18d 12h	15d 21h	13d 2h	10d 15h	8d 20h	7d 1h	4d 23h	3d	1d 8h	12h
	1.5	14d	12d 23h	11d 2h	9d 4h	7d 10h	6d 4h	4d 22h	3d 11h	2d 2h	22h	8h
	2	11d	10d 4h	8d 17h	7d 5h	5d 20h	4d 21h	3d 21h	2d 18h	1d 15h	18h	7h
	2.5	8d	7d 9h	6d 8h	5d 6h	4d 6h	3d 13h	2d 20h	2d	1d 5h	13h	5h
	3	7d	6d 11h	5d 13h	4d 14h	3d 17h	3d 2h	2d 11h	1d 18h	1d 1h	11h	4h
	4	5d 12h	5d 2h	4d 9h	3d 14h	2d 22h	2d 10h	1d 22h	1d 9h	20h	9h	3h
	5	4d 12h	4d 4h	3d 14h	2d 23h	2d 9h	2d	1d 14h	1d 3h	16h	7h	3h
6	3d 12h	3d 6h	2d 19h	2d 7h	1d 21h	1d 13h	1d 6h	21h	13h	6h	2h	

FREELOX 32L	Durchfluss	Autonomie										
	0.25	40d	36d 23h	31d 17h	26d 5h	21d 6h	17d 16h	14d 2h	9d 22h	5d 23h	2d 16h	1d
	0.5	30d	27d 17h	23d 19h	19d 16h	15d 22h	13d 6h	10d 13h	7d 11h	4d 12h	2d	18h
	0.75	22d	20d 8h	17d 11h	14d 10h	11d 16h	9d 17h	7d 18h	5d 11h	3d 7h	1d 11h	13h
	1	15d	13d 21h	11d 22h	9d 20h	7d 23h	6d 15h	5d 7h	3d 17h	2d 6h	1d	9h
	1.5	10d	9d 6h	7d 22h	6d 13h	5d 7h	4d 10h	3d 12h	2d 12h	1d 12h	16h	6h
	2	7d	6d 11h	5d 13h	4d 14h	3d 17h	3d 2h	2d 11h	1d 18h	1d 1h	11h	4h
	2.5	6d 12h	6d	5d 4h	4d 6h	3d 11h	2d 21h	2d 7h	1d 15h	23h	10h	4h
	3	5d 12h	5d 2h	4d 9h	3d 14h	2d 22h	2d 10h	1d 22h	1d 9h	20h	9h	3h
	4	4d	3d 17h	3d 4h	2d 15h	2d 3h	1d 18h	1d 10h	1d	14h	6h	2h
	5	3d	2d 19h	2d 9h	1d 23h	1d 14h	1d 8h	1d 1h	18h	11h	5h	2h
6	2d 12h	2d 7h	2d	1d 15h	1d 8h	1d 2h	21h	15h	9h	4h	2h	

FREELOX 20L	Durchfluss	Autonomie										
	0.25	25d	23d 2h	19d 20h	16d 9h	13d 7h	11d 1h	8d 19h	6d 5h	3d 18h	1d 16h	15h
	0.5	19d	17d 13h	15d 2h	12d 11h	10d 2h	8d 9h	6d 16h	4d 17h	2d 20h	1d 6h	12h
	0.75	12d	11d 2h	9d 12h	7d 21h	6d 9h	5d 7h	4d 5h	3d	1d 19h	19h	7h
	1	10d	9d 6h	7d 22h	6d 13h	5d 7h	4d 10h	3d 12h	2d 12h	1d 12h	16h	6h
	1.5	7d	6d 11h	5d 13h	4d 14h	3d 17h	3d 2h	2d 11h	1d 18h	1d 1h	11h	4h
	2	5d	4d 15h	3d 23h	3d 7h	2d 16h	2d 5h	1d 18h	1d 6h	18h	8h	3h
	2.5	4d	3d 17h	3d 4h	2d 15h	2d 3h	1d 18h	1d 10h	1d	14h	6h	2h
	3	3d	2d 19h	2d 9h	1d 23h	1d 14h	1d 8h	1d 1h	18h	11h	5h	2h
	4	2d 12h	2d 7h	2d	1d 15h	1d 8h	1d 2h	21h	15h	9h	4h	2h
	5	2d	1d 20h	1d 14h	1d 7h	1d 1h	21h	17h	12h	7h	3h	1h
6	1d 12h	1d 9h	1d 5h	1d	19h	16h	13h	9h	5h	2h	1h	

## Valeurs d'autonomie à des niveaux de remplissage variables

### Indicateur



FREELOX 44L	Dosage	Autonomie										
	0.25	50d	46d 5h	39d 16h	32d 18h	26d 13h	22d 2h	17d 14h	12d 10h	7d 11h	3d 8h	1d 6h
	0.5	38d	35d 3h	30d 3h	24d 22h	20d 4h	16d 19h	13d 9h	9d 10h	5d 16h	2d 13h	23h
	0.75	28d	25d 21h	22d 5h	18d 8h	14d 21h	12d 9h	9d 20h	6d 23h	4d 4h	1d 21h	17h
	1	20d	18d 12h	15d 21h	13d 2h	10d 15h	8d 20h	7d 1h	4d 23h	3d	1d 8h	12h
	1.5	14d	12d 23h	11d 2h	9d 4h	7d 10h	6d 4h	4d 22h	3d 11h	2d 2h	22h	8h
	2	11d	10d 4h	8d 17h	7d 5h	5d 20h	4d 21h	3d 21h	2d 18h	1d 15h	18h	7h
	2.5	8d	7d 9h	6d 8h	5d 6h	4d 6h	3d 13h	2d 20h	2d	1d 5h	13h	5h
	3	7d	6d 11h	5d 13h	4d 14h	3d 17h	3d 2h	2d 11h	1d 18h	1d 1h	11h	4h
	4	5d 12h	5d 2h	4d 9h	3d 14h	2d 22h	2d 10h	1d 22h	1d 9h	20h	9h	3h
	5	4d 12h	4d 4h	3d 14h	2d 23h	2d 9h	2d	1d 14h	1d 3h	16h	7h	3h
	6	3d 12h	3d 6h	2d 19h	2d 7h	1d 21h	1d 13h	1d 6h	21h	13h	6h	2h

FREELOX 32L	Dosage	Autonomie										
	0.25	40d	36d 23h	31d 17h	26d 5h	21d 6h	17d 16h	14d 2h	9d 22h	5d 23h	2d 16h	1d
	0.5	30d	27d 17h	23d 19h	19d 16h	15d 22h	13d 6h	10d 13h	7d 11h	4d 12h	2d	18h
	0.75	22d	20d 8h	17d 11h	14d 10h	11d 16h	9d 17h	7d 18h	5d 11h	3d 7h	1d 11h	13h
	1	15d	13d 21h	11d 22h	9d 20h	7d 23h	6d 15h	5d 7h	3d 17h	2d 6h	1d	9h
	1.5	10d	9d 6h	7d 22h	6d 13h	5d 7h	4d 10h	3d 12h	2d 12h	1d 12h	16h	6h
	2	7d	6d 11h	5d 13h	4d 14h	3d 17h	3d 2h	2d 11h	1d 18h	1d 1h	11h	4h
	2.5	6d 12h	6d	5d 4h	4d 6h	3d 11h	2d 21h	2d 7h	1d 15h	23h	10h	4h
	3	5d 12h	5d 2h	4d 9h	3d 14h	2d 22h	2d 10h	1d 22h	1d 9h	20h	9h	3h
	4	4d	3d 17h	3d 4h	2d 15h	2d 3h	1d 18h	1d 10h	1d	14h	6h	2h
	5	3d	2d 19h	2d 9h	1d 23h	1d 14h	1d 8h	1d 1h	18h	11h	5h	2h
	6	2d 12h	2d 7h	2d	1d 15h	1d 8h	1d 2h	21h	15h	9h	4h	2h

FREELOX 20L	Dosage	Autonomie										
	0.25	25d	23d 2h	19d 20h	16d 9h	13d 7h	11d 1h	8d 19h	6d 5h	3d 18h	1d 16h	15h
	0.5	19d	17d 13h	15d 2h	12d 11h	10d 2h	8d 9h	6d 16h	4d 17h	2d 20h	1d 6h	12h
	0.75	12d	11d 2h	9d 12h	7d 21h	6d 9h	5d 7h	4d 5h	3d	1d 19h	19h	7h
	1	10d	9d 6h	7d 22h	6d 13h	5d 7h	4d 10h	3d 12h	2d 12h	1d 12h	16h	6h
	1.5	7d	6d 11h	5d 13h	4d 14h	3d 17h	3d 2h	2d 11h	1d 18h	1d 1h	11h	4h
	2	5d	4d 15h	3d 23h	3d 7h	2d 16h	2d 5h	1d 18h	1d 6h	18h	8h	3h
	2.5	4d	3d 17h	3d 4h	2d 15h	2d 3h	1d 18h	1d 10h	1d	14h	6h	2h
	3	3d	2d 19h	2d 9h	1d 23h	1d 14h	1d 8h	1d 1h	18h	11h	5h	2h
	4	2d 12h	2d 7h	2d	1d 15h	1d 8h	1d 2h	21h	15h	9h	4h	2h
	5	2d	1d 20h	1d 14h	1d 7h	1d 1h	21h	17h	12h	7h	3h	1h
	6	1d 12h	1d 9h	1d 5h	1d	19h	16h	13h	9h	5h	2h	1h