


Enspannungsmodule: Blatt


ML1 200-10-50	02
ML1 200-16-8	03
ML2 200-10-10	04
ML2 200-10-50	05
ML 200-200-30	06
ML-A 25-1,5-1	07
MI 200-10-10	08
MI 200-15-25	09

Umschaltstationen:


CLSA1 200-10-10	10
CLSA1 200-10-50	11
CLSA2 200-10-10	12
CLSA2 200-10-50	13
CLSA2 200-50-100	14
CLSA-A 25-1,5-1	15
CISA 200-15-25	16
CISA 30-3-5	17




Pos.	SAP	Menge	Beschreibung
01	15479	1	Druckminderer
02	16188	1	Absperrventil
03		1	Spülventil
04	15970	1	HD Manometer 0-315 bar, Ms, M10x1
04a		1	HD Manometer 0-315 bar, Ms, G1/4"
05	18554	1	ND Manometer 0-16 bar, Ms, G1/4"
05a		1	ND Manometer 0-25 bar, Ms, M10x1
06	17076	1	Sicherheitsventil 17 bar
08	72319	1	Rückschlagbüchse W21.8 X 1/14"
09	72599	1	Klemmringverschraubung Gyrolok, G3/8"-12mm, Ms
10	72511	1	Karabinerhaken 50x5mm Inox



Pos.	SAP	Menge	Beschreibung
01	15709	1	Druckminderer
02	16188	1	Absperrventil
03		1	Spülventil
04	15970	1	HD Manometer 0-315 bar, Ms, M10x1
04a		1	HD Manometer 0-315 bar, Ms, G1/4"
05	16004	1	ND Manometer 0-25 bar, Ms, M10x1
05a	18554	1	ND Manometer 0-16 bar, Ms, G1/4"
06	17076	1	Sicherheitsventil 17bar
08	72319	1	Rückschlagbüchse W21.8 X 1/14"
09	16524	1	Klemmringverschraubung Gyrolok, G3/8"-10mm, Ms
10	72511	1	Karabinerhaken 50x5mm Inox



Pos.	SAP	Menge	Beschreibung
01	16126	1	Druckminderer
02	16184	1	Absperrventil
03		1	Spülventil
04	17052	1	Sicherheitsventil 3/8" / 6mm (16bar)
05	15970	1	HD Manometer 0-315 bar, Ms, M10x1
05a		1	HD Manometer 0-315 bar, Ms, G1/4"
06	72319	1	Rückschlagbüchse W21.8 X 1/14"
08	16524	1	Klemmringverschraubung Gyrolok, G3/8"-10mm, Ms
09	72511	1	Karabinerhaken 50x50mm Inox




Pos.	SAP	Menge	Beschreibung
01	15477	1	Druckminderer
02	16184	1	Absperrventil
03		1	Spülventil
04	17052	1	Sicherheitsventil 3/8" / 6mm (16bar)
05	15970	1	HD Manometer 0-315 bar, Ms, M10x1
05a		1	HD Manometer 0-315 bar, Ms, G1/4"
06	72319	1	Rückschlagbüchse W21,8R/16x1,33
08	72599	1	Klemmringverschraubung Gyrolok, G3/8"-12mm, Ms
09	72511	1	Karabinerhaken 50x5mm Inox

Bern
Waldeggstrasse 38
3097 Liebefeld-Bern
Tel. 031 978 78 00
Fax 031 978 78 02

Basel
Kohlenstrasse 40
4056 Basel
Tel. 061 386 45 45
Fax 061 386 45 00

Zürich
Klotenerstrasse 20
8153 Rümlang
Tel. 044 818 87 00
Fax 044 817 17 78

Lausanne
4, Rue du Grand-Pré
1007 Lausanne 16
Tel. 021 621 11 11
Fax 021 621 11 12




Pos.	SAP	Menge	Beschreibung
01	15653	1	Druckminderer
02	16184	1	Absperrventil
03		1	Spülventil
04	16219	1	Sicherheitsventil 210 bar
	16220	1	Sicherheitsventil 125 bar
05	15970	1	HD Manometer 0-315 bar, Ms, M10x1
05a		1	HD Manometer 0-315 bar, Ms, G1/4"
06		1	ND Manometer (Ausgang) ??????
06a			ND Manometer ????????
07	72319	1	Rückschlagbüchse W21,8R/16x1,33
08	16524	1	Klemmringverschraubung Gyrolok, G3/8"-10mm, Ms
09	72511	1	Karabinerhaken 50x5mm Inox

Bern
Waldeggstrasse 38
3097 Liebefeld-Bern
Tel. 031 978 78 00
Fax 031 978 78 02


Basel
Kohlenstrasse 40
4056 Basel
Tel. 061 386 45 45
Fax 061 386 45 00

Zürich
Klotenerstrasse 20
8153 Rümlang
Tel. 044 818 87 00
Fax 044 817 17 78

Lausanne
4, Rue du Grand-Pré
1007 Lausanne 16
Tel. 021 621 11 11
Fax 021 621 11 12



Pos.	SAP	Menge	Beschreibung
01		1	Druckminderer
02		1	Absperrventil
03		1	Spülventil
04	17069	1	Sicherheitsventil 3/8" / 6mm (16bar)
05	16007	1	HD Manometer 0-40 bar, Acetylen, M10x1
05a		1	HD Manometer 0-40 bar, Acetylen, G1/4"
06	15996	1	ND Manometer -1-+2,5 bar, Acetylen, Ms, M10x1
06a		1	ND Manometer -1-+2,5 bar, Acetylen, Ms, G1/4"
07	72319	1	Rückschlagbüchse W21.8 X 1/14"
08	16558	1	Klemmringverschraubung Gyrolok, G3/8"-6mm, Inox
09	72511	1	Karabinerhaken 50x5mm Inox



Pos.	SAP	Menge	Beschreibung
01	*	1	Druckminderer
02	16183	1	Absperrventil
03		1	Spülventil
04	17063	1	Sicherheitsventil 16bar 3/8" / 6mm
05	15985	1	HD Manometer 0-315 bar, Inox, M10x1
05a		1	HD Manometer 0-315 bar, Inox, G1/4"
06	16405	1	Rückschlagbüchse W 21.8
08	16558	1	Klemmringverschraubung Gyrolok, G3/8"-6mm, Inox
09	72511	1	Karabinerhaken 50x5mm Inox


* auf Anfrage

Bern
Waldeggstrasse 38
3097 Liebefeld-Bern
Tel. 031 978 78 00
Fax 031 978 78 02


Basel
Kohlenstrasse 40
4056 Basel
Tel. 061 386 45 45
Fax 061 386 45 00

Zürich
Klotenerstrasse 20
8153 Rümlang
Tel. 044 818 87 00
Fax 044 817 17 78


Lausanne
4, Rue du Grand-Pré
1007 Lausanne 16
Tel. 021 621 11 11
Fax 021 621 11 12




Pos.	SAP	Menge	Beschreibung
01 L/R	15481	2	Druckminderer
02	16188	2	Absperrventil
03		2	Spülventil
04		1	Umschalthebel
05	15970	2	HD Manometer 0-315 bar, Ms, M10x1
05a		2	HD Manometer 0-315 bar, Ms, G1/4"
06	16003	1	ND Manometer 0-25 bar, Ms, M10x1
06a		1	ND Manometer 0-16 bar, Ms, G1/4"
07	72319	2	Rückschlagbüchse W21.8 X 1/14"
08	17076	1	Sicherheitsventil
09	16524	1	Klemmringverschraubung Gyrolok, G3/8"-10mm, Ms
10	72511	2	Karabinerhaken 50x5mm Inox




Pos.	SAP	Menge	Beschreibung
01 L/R	15483	2	Druckminderer
02	16188	2	Absperrventil
03		2	Spülventil
04	-	1	Umschalthebel
05	15970	2	HD Manometer 0-315 bar, Ms, M10x1
05a		2	HD Manometer 0-315 bar, Ms, G1/4"
06	18553	1	ND Manometer 0-16 bar, Ms, G 1/4"
06a	16003	1	ND Manometer 0-25 bar, Ms, M10x1
07	72319	2	Rückschlagbüchse W21.8R/16x 1,33
08	17076	1	Sicherheitsventil
09	72599	1	Klemmringverschraubung Gyrolok, G3/8"-12mm, Ms
10	72511	2	Karabinerhaken 50x5mm Inox




Pos.	SAP	Menge	Beschreibung
01 L/R	15480	2	Druckminderer DLM 215
02	16184	2	Absperrventil
03		2	Spülventil
04	-	1	Umschalthebel
05	15970	2	HD Manometer 0-315 bar, Ms, M10x1
05a		2	HD Manometer 0-315 bar, Ms, G1/4"
06	16003	1	ND Manometer 0-25 bar, Ms, M10x1
06a		1	ND Manometer 0-25 bar, Ms, G1/4"
07	17052	1	Sicherheitsventil 3/8" / 6mm (16bar)
08	72319	2	Rückschlagbüchse W21,8R/16x1,33
09	16524	1	Klemmringverschraubung Gyrolok, G3/8"-10mm, Ms
10	72511	2	Karabinerhaken 50x5mm Inox



Pos.	SAP	Menge	Beschreibung
01 L/R	15482	2	Druckminderer DLM 215
02	16184	2	Absperrventil
03		2	Spülventil
04	-	1	Umschalthebel
05	17052	1	Sicherheitsventil 3/8" / 6mm (16bar)
06	16524	1	Klemmringverschraubung Gyrolok, G3/8"-10mm, Ms
07	16003	1	ND Manometer 0-25 bar, Ms, M10x1
07a		1	ND Manometer 0-16 bar, Ms, G1/4"
08	72319	2	Rückschlagbüchse W21,8R/16x1,33
09	15970	2	HD Manometer 0-315 bar, Ms, M10x1
09a		2	HD Manometer 0- 315 bar, Ms, G1/4"
10	72511	2	Karabinerhaken 50x5mm Inox




Pos.	SAP	Menge	Beschreibung
01 L/R	15484	2	Druckminderer DLM 200
02	16184	2	Absperrventil
03		2	Spülventil
04		1	Umschalthebel
05	17070	1	Sicherheitsventil 3/8" / 6 mm (62 bar)
06	15973	1	ND Manometer 0-100 bar, Ms, M10x1
06a		1	????
07	72319	2	Rückschlagbüchse W21,8R/16x1,33
08	15970	2	HD Manometer 0-315 bar, Ms, M10x1
08a		2	HD Manometer 0-315 bar, Ms, G1/4"
09	16524	1	Klemmringverschraubung Gyrolok, G3/8"-10mm, Ms
10	72511	2	Karabinerhaken 50x5mm Inox



Pos.	SAP	Menge	Beschreibung
01 L / R	15880	2	Druckminderer (links)
02	16184	2	Absperrventil
03		2	Spülventil
04	-	1	Umschalthebel
05	16007	2	HD Manometer 0-40 bar, Acetylen, M10x1
05a		2	HD Manometer 0-40 bar, Acetylen, G1/4"
06	16002	1	ND Manometer -1-+2,5 bar, Acetylen, M10x1
06a		1	ND Manometer -1-+2,5 bar, Acetylen, G1/4"
07	*	1	Sicherheitsventil 3/8" / 6 mm
08	72319	2	Rückschlagbüchse W21,8R/16x1,33
09	16558	1	Klemmringverschraubung Gyrolok, G3/8"-6mm, Inox
10	72511	2	Karabinerhaken 50x5mm Inox

* auf Anfrage



Pos.	SAP	Menge	Beschreibung
01 L/R	15523	2	Druckminderer
02	16183	2	Absperrventil
03		2	Spülventil
04		1	Umschalthebel
05	17064	1	Sicherheitsventil 22bar 3/8" / 6mm
06	15985	2	HD Manometer 0-315 bar, Inox, M10x1
06a		2	HD Manometer 0-315 bar, Inox, G1/4"
07	15983	1	ND Manometer 0-25 bar, Inox, M10x1
07a		1	ND Manometer 0-25 bar, Inox, G1/4"
08	16405	2	Rückschlagbüchse W 21.8
09	16558	1	Klemmringverschraubung Gyrolok, G3/8"-6mm, Inox
10	72511	2	Karabinerhaken 50x5mm Inox

Bern
Waldeggstrasse 38
3097 Liebefeld-Bern
Tel. 031 978 78 00
Fax 031 978 78 02

Basel
Kohlenstrasse 40
4056 Basel
Tel. 061 386 45 45
Fax 061 386 45 00

Zürich
Klotenerstrasse 20
8153 Rümlang
Tel. 044 818 87 00
Fax 044 817 17 78

Lausanne
4, Rue du Grand-Pré
1007 Lausanne 16
Tel. 021 621 11 11
Fax 021 621 11 12




Bild zeigt CISA 200-15-25

Pos.	SAP	Menge	Beschreibung
01 L/R		2	Druckminderer
02	16183	2	Absperrventil
03		2	Spülventil
04		1	Umschalthebel
05	17068	1	Sicherheitsventil 22bar 3/8" / 6mm
06	15984	2	HD Manometer 0-40 bar, Inox, M10x1
06a		2	HD Manometer 0-40 bar, Inox, G1/4"
07	15982	1	ND Manometer 0-5 bar, Inox, M10x1
07a		1	ND Manometer 0-5 bar, Inox, G1/4"
08	16405	2	Rückschlagbüchse W 21.8
09	16558	1	Klemmringverschraubung Gyrolok, G3/8"-6mm, Inox
10	72511	2	Karabinerhaken 50x5mm Inox

